

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 3712 | ((073/29.01,335.02,335.04,335.05,29.05,31.05,31.06) or (361/303,305,280,281,286) or (422/83,98)).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/07/25 12:11 |
| L2 | 1010 | I1 and (capacitance capacitive) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 12:11 |
| L3 | 74 | I2 and (gel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 12:11 |
| S1 | 3636 | ((humidity moisture) adj sensor).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:34 |
| S2 | 290 | S1 and dielectric | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 06:58 |
| S3 | 3 | (lee-don-\$4).in. and (bu-jong-\$4).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/01 13:51 |
| S4 | 2 | ("5048336").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/01 13:52 |
| S5 | 14 | ("5048336").URPN. | USPAT | OR | ON | 2005/06/01 13:52 |
| S6 | 2 | ("6647782").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/02 06:49 |
| S7 | 9 | ("4057823" "4277742" "4305112" "4816888" "4893214" "5050434" "5075816" "5345213" "6111280").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/06/02 06:50 |
| S8 | 3636 | ((humidity moisture) adj sensor).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 06:58 |
| S9 | 290 | S8 and dielectric | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 06:58 |
| S10 | 10 | S9 and (protect\$4 adj film) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 06:59 |
| S11 | 20 | S9 and (protect\$4 adj (layer film)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 07:05 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S12 | 2 | ("4,520,341").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/02 07:07 |
| S13 | 2 | ("4,639,831").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/02 07:23 |
| S14 | 1 | (WO-200142776- $\$$).did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 07:59 |
| S15 | 1 | (GB-2194845- $\$$).did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 08:25 |
| S16 | 0 | (silcon adj gel) near3 film | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 08:25 |
| S17 | 138 | (silicon adj gel) near3 (film layer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 08:52 |
| S18 | 20 | S17 and sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 08:26 |
| S19 | 19 | S17 and (humidty moisture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 08:35 |
| S20 | 52 | (silicon adj gel) with (moisture humidity) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 09:05 |
| S21 | 4 | (fluorine adj gel) with (moisture humidity) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 09:01 |
| S22 | 16573 | (silicon eadj gel) with (moisture humidity) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 09:05 |
| S23 | 130 | (silicone adj gel) with (moisture humidity) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 09:16 |
| S24 | 16 | (silicone adj gel) with (vapor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 09:17 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S25 | 4 | ("5279890") or ("6260417")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/02 09:58 |
| S26 | 3681 | ((073/29.01,335.02,335.04,335.05,29.05,31.05,31.06) or (361/303,305,280,281,286) or (422/83,98)).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/07/25 12:10 |
| S27 | 667 | S26 and (moisture humidity) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 11:04 |
| S28 | 250 | S27 and (capacitor capacitive) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/02 11:05 |
| S29 | 3 | ("6580600").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/02 11:10 |
| S30 | 18081 | (capacitance capacitive) adj3 (sensor gauge) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:49 |
| S31 | 394 | S30 and (reference adj (electrode section portion)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:36 |
| S32 | 47 | S31 and polyimide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:36 |
| S33 | 47 | S31 and (polyimide ployamide) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:36 |
| S34 | 57 | S31 and (polyimide polyamide) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:36 |
| S35 | 0 | (WO-2001042775-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 07:49 |
| S36 | 1 | (WO-200142775-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 08:42 |
| S37 | 6 | (lee-d\$ and Bu-J\$).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 10:54 |

| | | | | | | |
|-----|---|---|---|----|-----|------------------|
| S38 | 0 | (EP-0021225-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 10:55 |
| S39 | 0 | (EP-021225-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 10:55 |
| S40 | 1 | (EP-21225-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/07/25 10:56 |
| S41 | 4 | ((("20030002238") or ("20030010119")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/07/25 10:56 |